


SFT-TTC® Thread Thermal Connector

Data Sheet OF GFRP Thermal Connector – Thread bar

Color	Type	Tensile Strength	Compression Strength	Tensile Modulus	Shear Strength
White	Thread	700MPa	350MPa	65GPa	180MPa

* Length can be customized.



Address: 1200 McGill College Ave. #1100 Montreal, QC, Canada, H3B 4G7

Tel.: +1 800-503-9139

Website: www.sftcanada.com

SFT-FTC ® Flat Thermal Connector

Data Sheet OF GFRP Thermal Connector – Flat bar

Color	Type	Tensile Strength	Compression Strength	Tensile Modulus	Shear Strength
As Pictures	Flat	600MPa	220MPa	45GPa	120MPa

* Length can be customized.



Address: 1200 McGill College Ave. #1100 Montreal, QC, Canada, H3B 4G7

Tel.: +1 800-503-9139

Website: www.sftcanada.com


SFT-TSC® Thread Shear Connector

Data Sheet OF GFRP Shear Connector – Thread bar

Color	Type	Tensile Strength*	Compression Strength*	Tensile Modulus	Shear Strength*
White/black	Thread	600MPa	350MPa	60GPa	180MPa

***Straight Portion**

*** Length can be customized.**



Address: 1200 McGill College Ave. #1100 Montreal, QC, Canada, H3B 4G7

Tel.: +1 800-503-9139

Website: www.sftcanada.com